Notice of Allowability	Application No.	Applicant(s)	
	10/726,071	CHANG ET AL.	
	Examiner	Art Unit	
	Johnnie L. Smith II	2881	
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.			
1. This communication is responsive to <u>amendment filed 02/21/2006</u> .			
2. The allowed claim(s) is/are 30, 31, 74-135 and 137-144.			
3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Lidentifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.			
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), Paper No./Mail Date Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material 5. Notice of Informal Patent Application (PTO-152) 6. Interview Summary (PTO-413), Paper No./Mail Date 7. Examiner's Amendment/Comment 8. Examiner's Statement of Reasons for Allowance of Biological Material			

Application/Control Number: 10/726,071 Page 2

Art Unit: 2881

DETAILED ACTION

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Rex Huang on 06/05/2006.

The application has been amended as follows:

Claim 134: An apparatus comprising;

mass selecting means for selectively ejecting charged particles based on mass-to-charge ratios of the charged particles;

[receiving means] <u>an ion trap</u> for receiving the charged particles elected from the mass selecting means;

detecting means for detecting light emitted from the charged particles in the [receiving means] ion trap to generate a detection signal; and

Application/Control Number: 10/726,071 Page 3

Art Unit: 2881

data processing means for correlating the detection signal with characteristics of the mass selecting means to determine a mass spectrum of the charged particles in the [receiving means] ion trap.

Claim 136: Cancelled

Allowable Subject Matter

- 2. Claims 30, 31, 74-135 and 137-144 are allowed.
- 3. The following is an examiner's statement of reasons for allowance: the prior art searched and cited failed to teach or fairly suggest an apparatus having dual ion traps wherein the first ion trap selectively ejects charged particles based on the mass-to-charge ratios of the charged particles; the second ion trap receives the charged particles ejected from the mass selection device; a detector for detecting light emitted from the charged particles in the second ion trap to generate a detection signal; and a data processor for correlating the detection signal with characteristics of the mass selecting means to determine a mass spectrums of the charged particles in the receiving means in combination with the remaining elements of claims 30, 107, and 134. All remaining claims are considered

allowable because of their dependencies upon the above mentioned independent claims.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

4. The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. All of the references cited on attached PTO 892 contain art similar to that being claimed by applicant.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Johnnie L. Smith II whose telephone number is 571-272-2481. The examiner can normally be reached on Monday-Thursday 6-4 P.M..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, John R. Lee can be reached on 571-272-2477. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/726,071

Art Unit: 2881

Page 5

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pairdirect.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

> Johnnie L Smith II Examiner

Art Unit 2881

Milita Wells
PRIMARY EXAMINER

06/08/06